## **PRODUCT DATA SHEET**

24 Well Cell Culture Plate



Validfor Item-No.:

1012300/1012304/1012000/1012004/1012002/1012006

1.	<b>Description / Specification</b>			
1.1	Description	Cell Culture Plate, 224 well, with vents, alphanumeric well coding, single position lid with condensation rings, sterile 1012300 24 well, Cell culture plate, Non-TC treated, sterile 1012304 24 well, Cell culture plate, Non-TC treated, sterile 1012000 24 well, Cell culture plate, TC treated, sterile 1012004 24 well, Cell culture plate, TC treated, sterile 1012002 24 well, Cell culture plate, TC treated, sterile		
1.2	Dimensions	1012006 24 well, Cell culture plate, TC treated, sterile Plate: see Customer Drawing 1012300-1012004:Invidually Wrapped in Peelable 1012002-1012006:Individually paper-plastic wrapped		
1.3	Volume	Max volume: 3.4 ml (mathematical calculated) Working volume: 0.4-0.6 ml Growth area / well: 1.9 cm <sup>2</sup>		
1.4	Material / Resin	Plate : PS (Polystyrene) <u>Lid:</u> PS (Polystyrene) The materials for manufacturing are USP Class VI		
1.5	Colour	Plate <u>:</u> clear Lid: clear		
1.6	Sterilization	SAL 10 <sup>-6</sup>		
1.7	Quality Control	- Raw Material-Control: physical testing - <u>Product-Control:</u> testing of attributive and variable characteristics in accordance with the valid specification		
1.8	Intended Use	General laboratory product for cell culture to be used by qualified personnel in a laboratory environment.		
1.9	Other Information	- For single use only - Expiry date and Lot-No. printed on the outer box		

2.	Features			
2.1	Basic features	Free of detectable DNase/RNase, human DNA and pyrogens. Contents non-cytotoxic		
2.2	Temperature range	For application: -20°C to +60 °C		
2.3	Autoclavability	No		
2.4	Centrifugation, max. RCF	N/A		
2.5	Shelf life	3 years		
2.6	Other Information	•		

3.	Packaging				
3.1	Pieces / Bag	1			
3.2	Pieces / Box	50/100			
3.3	Lot-No.	DDD YY XXX (day, year, product No.)			
3.4	Other Information	Certificate of Quality to download			

4.	Other Information
4.1	Laboratory use only

Prior Issue	Drawn	Approved	Released	CONFIDENTIAL: Information contained in
Revision	Date	Date	Date	this document or drawing is confidential and proprietary to Zhejiang Saining Biotechnology Co., Ltd. This document may not be reproduced for any reason without written permission from Zhejiang Saining Biotechnology Co., Ltd. All rights of design, invention, and copyright are reserved.
1	1 June 2024	1 June 2024	1 June 2024	
Date	Name	Name	Name	
01.06.2024	Chen Anjing	Zhang Heng	Wang Kedong	